

Production Specifications

https://aviation.informaexhibitions.com



TABLE OF CONTENTS

Welcome!

Welcome to the primary source of advertising specifications for Aviation Week Network products as well as general print and online publishing related information. If you require print, digital, mobile or tablet ad specifications, contact information and other related information, please select from the list below.

PRINT AD SPECIFICATIONS: (click product to jump to page)

- ► AC-U-KWIK
- ► Air Charter Guide
- ► Air Transport World and ATWChina
- ► Aircraft Bluebook

- Aviation Week & Space Technology
- Business & Commercial Aviation
- ► Inside MRO

EXECUTIVE MARKET BRIEFING AD SPECIFICATIONS: (click product to jump to page)

- Advanced Air Mobility Report
- Aerospace Daily & Defense Report

- Aviation Daily
- ► The Weekly of Business Aviation

NEWSLETTER PRINT AD SPECIFICATIONS: (click product to jump to page)

SpeedNews

MRO Event Briefing

NEWSLETTER DIGITAL AD SPECIFICATIONS: (click product to jump to page)

- Aerospace Digest
- Air Transport Digest
- Airport & Network Digest
- Asia Digest
- BCA Digest
- CAPA Newsletters

- Defense Digest
- ► MRO Digest
- Space Digest
- SpeedNews Today
- Spotlight

WEBSITE AND MOBILE AD SPECIFICATIONS: (click product to jump to page)

- AviationWeek.com
- ► ACUKWIK.com

- ► AirCharterGuide.com
- ► Aircraftbluebook.com

DIGITAL EDITION (PRINT REPLICA) AD SPECIFICATIONS: (click product to jump to page)

► Air Transport World

AVIATION WEEK NETWORK SHOW NEWS APP (click product to jump to page)

Aviation Week Network Show News Banners

MARKETPLACE: (click product to jump to page)

▶ Premium Package

Premium Package Plus











IMPORTANT: Vital advertising matter must be kept 0.25"/6.35 mm from the publication trim edge.

STANDARD UNIT SIZE IN INCHES/MM: Space can be used only in the following forms. Advertisements exceeding size in any dimension are considered oversized.

SPECIFICATIONS FOR AD SIZES (for other specialty or custom ad sizes please contact your sales representative):

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (mm)
Full Page Trim*	7.5"x 10.5"	190.5 mm x 266.7 mm
Full Page Spread Trim*	15" x 10.5"	381 mm x 266.7 mm
2/3 Page	4.5" x 9.75"	114.3 mm x 247.65 mm
1/2 Page Horizontal	7" x 4.625"	177.8 mm x 117.475 mm
1/2 Page Island	4.5" x 7.25"	114.3 mm x 184.15 mm
1/3 Page Vertical	2.1875" x 9.75"	55.5625 mm x 247.65 mm
1/3 Page Horizontal	7" x 3.125"	177.8 mm x 79.375 mm
1/3 Page Square	4.5" x 4.625"	114.3 mm x 117.475 mm
1/4 Page Vertical	3.125" x 4.625"	79.375 mm x 117.475 mm
1/4 Page Horizontal	7" x 2.25"	177.8 mm x 57.15 mm
1/6 Page Vertical	2.1875" x 4.625"	55.5625 mm x 117.475 mm
1/6 Page Horizontal	4.5" x 2.25"	114.3 mm x 57.15 mm

^{*}For bleed ads extend bleed 0.125"/3.175 mm beyond the trim edge. All live matter not intended to bleed should be kept 0.25"/6.35 mm from trim. Spread ads should allow a total of 0.1875"/4.7625 mm safety in gutter.

For details on how to build an ad for bleed, visit https://assets.informa.com/sma/PgTrim.pdf

CLASSIFIED AND RECRUITMENT SIZES

Space Unit	Ad Width (inches)	Ad Width (mm)
1 column	2.1875"	55.5625 mm
2 column	4.5"	114.3 mm
3 column	6.875"	174.625 mm
1/4 Page	3.125" x 4.625"	79.375 mm x 117.475 mm
1/2 Page Horizontal	6.5" x 4.625"	165.1 mm x 117.475 mm
1/3 Page	3.125" x 4.625"	79.375 mm x 117.475 mm

AD SUBMISSIONS:

For all ad submissions please upload files to SendMyAd - https://informa.sendmyad.com/

All space contracts, insertion orders, advertising proofs, copy, and correspondence pertaining to advertising, printing and reproduction material should be sent to:

For AW&ST and Inside MRO: Bonnie Streit, Production • Tel: +1 630-524-4456 • Yvonne.Streit@Informa.com For ATW: Jacqi Fisher, Production • Tel: +1 212-600-3853 • Jacqi.Fisher@informa.com

All submissions should be labeled with the date of the issue. For furnished inserts, contact Production Department.












STANDARD AD UNIT SIZES: Vital advertising matter must be kept 0.25"/6.35 mm from the publication trim edge. For other specialty or custom ad sizes, please contact your sales representative.



FILE FORMATS:

Preferred File Format — SWOP Recommended: PDF/X-1A:2001 (Note: this particular setting is especially important if you are using transparencies in your document), 300 dpi as CMYK. Other accepted file formats: High resolution PDF.

Please move all crop marks and color bars out of the bleed area to ensure that they do not show in the final printed piece.

AD SUBMISSIONS:

For all ad submissions please upload files to SendMyAd - https://informa.sendmyad.com/

All space contracts, insertion orders, advertising proofs, copy, and correspondence pertaining to advertising, printing and reproduction material should be sent to:

For AW&ST and Inside MRO: Bonnie Streit, Production • Tel: +1 630-524-4456 • Yvonne.Streit@Informa.com For ATW: Jacqi Fisher, Production • Tel: +1 212-600-3853 • Jacqi.Fisher@informa.com

All submissions should be labeled with the date of the issue. For furnished inserts, contact Production Department.



MARKET BRIEFINGS







Business Aviation

PUBLICATION TRIM SIZE: 8.5" x 11"; 215mm x 280mm


IMPORTANT: Vital advertising matter (all live copy and illustrations) must be kept 1/2" (12mm) from any trim edge. Files should be in PDF Format.

STANDARD UNIT SIZE IN INCHES/MM: Space can be used only in the following forms. Advertisements exceeding size in any dimension are considered oversized. Fractional ads are accepted in horizontal format only.

Specifications	Width X Depth
Full Page Non-Bleed	7.5" x 10"— File size: 500K max
Full Page Trim	8.5" x 11"— File size: 500K max
1/2 Page Horizontal	7.5" x 4.75" — File size: 400K max
1/3 Page Horizontal	7.5" x 3.5" — File size: 350K max
1/4 Page Horizontal	7.5" x 2.5" — File size: 300K max
1" Strip	7.5" x 1"— File size: 250K max

^{*}For bleed ads extend bleed 0.125"/3.175 mm beyond the trim edge. All live matter not intended to bleed should be kept 0.25"/6.35 mm from trim.

STANDARD AD UNIT SIZES:











1 inch Strip

NEWSLETTERS - PRINT



Includes SpeedNews and MRO Event Briefing

PUBLICATION TRIM SIZE: 8.5" x 11"; 215mm x 280mm


IMPORTANT: Vital advertising matter (all live copy and illustrations) must be kept 1/2" (12mm) from any trim edge. Files should be in PDF Format.

SPEEDNEWS NEWSLETTERS AND MRO EVENT BRIEFING:

Space Unit	Width X Depth in inches	Width X Depth in millimeters
Trim Size	8.5" x 11"	215.9 mm x 279.4 mm
Full Page	8.5" x 11"	216 mm x 279 mm
Half Page	7.25" x 5"	184 mm x 127 mm
Quarter Page	7.25" x 2.5"	184 mm x 63.5 mm
Inside 1/8 Page Strip	7.25" x 1.25"	184 mm x 31.75 mm
Masthead Advertising	3" x 1"	76 mm x 25.5 mm

^{*}For bleed ads extend bleed 0.125"/3.175 mm beyond the trim edge. All live matter not intended to bleed should be kept 0.25"/6.35 mm from trim.

STANDARD AD UNIT SIZES:



MATERIALS:

PDF file. File size should not exceed specifications listed above.

Proof of delivery reports to clients are generated and distributed by Digital Advertising Solutions Group associates using metrics from Informa ad servers and email systems. Reports are for the invoiced period and provided the first week following the month of delivery.





MANAGERS' WORLD EDITION SPECIFICATIONS FOR AD SIZES:

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (cm)
Front Cover Strip		
Live Area*	8.375" x 3.3125"	21.2725 cm x 8.4138 cm
* Requires a .25" bleed and margin		
Full-Page/Back & Inside Covers/ Tabbed Page		
Trim	8.375" x 10.875"	21.27 cm x 27.62 cm
Bleed	8.875" x 11.375"	22.54 cm x 28.89 cm
Live Area	7.75" x 10.25"	19.685 cm x 26.034 cm
Half-Page Vertical	3.625" x 9.8"	9.21 cm x 24.89 cm
Quarter-Page	3.625" x 4.8"	9.21 cm x 12.19 cm
In-Column	3.625" x 2.4"	9.21 cm x 6.1 cm

DEADLINES / PUBLISHING SCHEDULE

Edition	Space Reservations	Materials Due Date
August 2024	April 19, 2024	May 8, 2024

NORTH AMERICAN EDITION SPECIFICATIONS FOR AD SIZES:

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (cm)
Full Page		
Live	3.625" x 5.5"	9.2075 x 13.97
Trim	4.25" x 6"	10.795 x 15.24
Bleed	4.75" x 6.5"	12.065 x 16.51
Tab Portion		
Live	0.375" x 1.375"	.9525 x 3.4925
Trim	0.5" x 1.5"	1.27 x 3.81
Bleed	0.75" x 1.75"	1.905 x 4.445

DEADLINES / PUBLISHING SCHEDULE

Edition	Space Reservations	Materials Due Date
December 2024	August 2, 2024	August 7, 2024

NORTH AMERICAN EDITION NOTE: Black & white full-page ads are placed on right pages, and the live matter should be positioned to allow 0.375" (.9525 cm) of left gutter margin. For bleed ads, bleed size shown allows for 0.25" (.635 cm) on each side. Color ads should use a 0.375" (.9525 cm) inside margin for essential information. Tabbed ad pages must include .25" bleed from trim edge, plus artwork and bleed for tab. For templates email: ads@acukwik.com





INTERNATIONAL EDITION SPECIFICATIONS FOR AD SIZES:

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (cm)
Full Page		
Live	3.625" x 5.5"	9.2075 x 13.97
Trim	4.25" x 6"	10.795 x 15.24
Bleed	4.75" x 6.5"	12.065 x 16.51
Tab Portion		
Live	0.375" x 1.375"	.9525 x 3.4925
Trim	0.5" x 1.5"	1.27 x 3.81
Bleed	0.75" x 1.75"	1.905 x 4.445
Ad Sizes (Live Area)		
Half-page	3.5" x 2.6"	8.89 x 6.604
In-column	3.5" x 1.9"	8.89 x 4.826

DEADLINES / PUBLISHING SCHEDULE

Edition	Space Reservations	Materials Due Date
December 2024	August 23, 2024	September 4, 2024

INTERNATIONAL EDITION NOTE: Black & white full-page ads are placed on right pages, and the live matter should be positioned to allow 0.375" (.9525 cm) of left gutter margin. For bleed ads, bleed size shown allows for 0.25" (.635 cm) on each side. Color ads should use a 0.375" (.9525 cm) inside margin for essential information. Tabbed ad pages must include .25" bleed from trim edge, plus artwork and bleed for tab. **For templates, email: ads@acukwik.com**

PREFERRED PRINT SPECIFICATIONS: Files should be delivered as press-optimized PDFs with crop marks. All images must have minimum resolution of 300 dpi. All fonts and artwork must be embedded. Do not embed spot colors—use only process CMYK for all ads. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts.

SUBMIT ARTWORK TO: Please submit materials up to 50mb via e-mail: ads@acukwik.com

Larger files can be uploaded via https://informa.sendmyad.com

RENEWING ADVERTISERS: If you are renewing your advertising and would like to make changes, our Production Department will e-mail your previous ad(s) to review before the artwork deadline. **Please note that most of the notifications will come from the online proofing system, ProofHQ.**

NEED ARTWORK HELP? Don't worry! Our team can help design your ad for **FREE**. Simply contact our production staff, and they will help you create an ad to get your business noticed. **Email: ads@acukwik.com**





IMPORTANT: Keep live matter .1875" (.4763 cm) from final trim.

SPECIFICATIONS FOR AD SIZES:

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (cm)
Front Cover	Contact ads@aircharterguide.com for front cover specifications	
Back & Inside Covers		
Live	7.75" x 10.25"	19.685 cm x 26.034 cm
Trim	8.375" x 10.875"	21.27 cm x 27.62 cm
Bleed	8.875" x 11.375"	22.54 cm x 28.89 cm
Tabbed Divider & Full Page		
Live	7.75" x 10.25"	19.685 cm x 26.034 cm
Trim	8.375" x 10.875"	21.27 cm x 27.62 cm
Bleed	8.875" x 11.375"	22.54 cm x 28.89 cm
Ad Sizes		
Half-page horizontal	7.5" x 4.8"	19.05 cm x 12.19 cm
Half-page vertical	3.625" x 9.8"	9.21 cm x 24.89 cm
1/4 page vertical	3.625" x 4.8"	9.21 cm x 12.19 cm
In-column Ad	3.625" x 2.4"	9.21cm x 6.1 cm
Map logo*	Please send a high-resolution file (vector .eps preferred)	
In-Column logo	Please send a high-resolution file (vector .eps preferred)	
Spine	Contact ads@aircharterguide.com for more information	
Gatefold	Contact ads@aircharterguide.com for more information	

^{*}Map Logos vary in size due to available space.

DEADLINES / PUBLISHING SCHEDULE

Edition	Space Reservations	Materials Due Date
August 2024	April 19, 2024	May 8, 2024

FILE SUBMISSIONS: Files should be delivered as PDF/X-1A. All fonts and artwork must be embedded. Do not embed spot colors—use only process CMYK for all ads. All images must have minimum resolution of 300 dpi. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts.

Send files to ads@aircharterguide.com or submit via SendMyAd: https://informa.sendmyad.com/

FOR QUESTIONS OR MORE INFORMATION, CONTACT: ads@aircharterguide.com



Aircraft**Bluebook**⁷

IMPORTANT: Keep live matter .1875" (.4763 cm) from final trim.

SPECIFICATIONS FOR AD SIZES:

Space Unit	Vertical Width X Depth (inches)	Vertical Width X Depth (cm)
Full Page & Full Cover		
Live	7.5" x 3.75"	18.7325 cm x 9.2075 cm
Trim	8" x 4.25"	20.32 cm x 10.795 cm
Bleed	8.5" x 4.75"	21.59 cm x 12.065 cm
Ad Sizes		
Front Cover Ad, upper left	2" x 1"	5.08 cm x 2.54 cm
Front Cover Ad, lower left	2" x 1"	5.08 cm x 2.54 cm
Spine Ad	1.25"x 2"	3.175 cm x 5.08 cm
Category Listing	Contact joshua.bourland@informa.com for more information	

DEADLINES / PUBLISHING SCHEDULE

Edition	Space Reservations	Materials Due Date
Spring 2024	January 5, 2024	January 12, 2024
Summer 2024	April 5, 2024	April 12, 2024
Fall 2024	July 5, 2024	July 12, 2024
Winter 2024	October 4, 2024	October 11, 2024

NOTE: Advertiser Qualification: Due to the nature of the data Aircraft Bluebook provides, we reserve the right to accept or deny any advertisement due to a conflict of interest.

FILE SUBMISSIONS: Files should be delivered as Press-Optimized PDFs with crop marks. All images must have minimum resolution of 300 dpi. All font and artwork must be embedded. Do not embed spot colors - use only process CMYK for all ads. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts.

Submit via SendMyAd: https://informa.sendmyad.com/

FOR QUESTIONS OR MORE INFORMATION, CONTACT: darin.watson@informa.com



NEWSLETTERS - DIGITAL

BANNER AD SIZES AND PRODUCTION SPECIFICATIONS FOR:

▶ Aerospace Digest ▶ Air Transport Digest ▶ Airport & Network Digest ▶ BCA Digest
 ▶ Defense Digest ▶ MRO Digest ▶ Space Digest ▶ SpeedNews Today ▶ SpeedNews Weekly

Banner Ad Size: 300 x 250 pixels

Max File Size: 200 KB Looping: 3 times (GIF)

Frames: 4 (GIF)

Animation length: 15-20 seconds Max FPS (frames per second): 18

Accepted Formats: Animated GIF, JPG, or static GIF

Linked URLs:

- Must link to active web page (not a video, document, or other file)
- Advert links must link to a page with content relevant to advert
- Landing page must not generate pop-up or pop-under windows
- Please note we cannot run third-party Java script-based tracking systems
- Please include the active url to which the banner is directed to with all copy

Text: Up to 50 words of text with hot link is placed adjacent to the ad banner.

BANNER AD SIZES AND PRODUCTION SPECIFICATIONS FOR:

► SpeedNews Today

Banner Ad Size: 728 x 90 pixels

Max File Size: 200 KB Looping: 3 times (GIF)

Frames: 4 (GIF)

Animation length: 15-20 seconds Max FPS (frames per second): 18

Accepted Formats: Animated GIF, JPG, or static GIF

BANNER AD SIZES AND PRODUCTION SPECIFICATIONS FOR:

► CAPA News Alerts ► CAPA Aviation Analyst

CAPA News Alerts: 468 x 60 pixels or 600 x 250 pixels CAPA Aviation Analyst: 468 x 60 pixels or 160 x 600 pixels

Max File Size: 100 KB Looping: 3 times (GIF)

Frames: 4 (GIF)

Animation length: 15-20 seconds Max FPS (frames per second): 18

Accepted Formats: Animated GIF, JPG, or static GIF

Note: Rich media is not accepted for newsletter placements. Outlook users cannot see animated GIFs, therefore it is our recommendation that the first frame of your animated GIF be a stand-alone or call to action frame. For newsletter, advertiser can submit an image and a clicktracker URL instead of third party tags.

AD SUBMISSIONS: For all ad submissions please upload files to **https://informa.sendmyad.com** To pick up an existing ad and for all insertion orders, contact Digital Advertising Solutions Group:

Attention: Robert Steigleider • Tel: +1 212-600-3071 • robert.steigleider@informa.com For CAPA: Gabriel Balmes • Tel: +1 470-277-0586 • gabriel.balmes@informa.com



AviationWeek.com

WEBSITE

GIF GUIDELINES:

Max File Size: 200 KB Looping: 3 times (GIF)

Frames: 4 (GIF)

Animation Length: 15-20 seconds

CREATIVE UNIT: LEADERBOARD

Dimensions (W x H in pixels): 728 x 90 (desktop/tablet) and 320 x 50 (smartphone)

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS). Double Density: This ad unit qualifies for double density high resolution material. The creative material may be supplied in both a single density 728 x 90 or 320 x 50 and higher resolution double density 1456 x 180 or 640 x 100 version of the same creative. Double density version cannot run unless single density is also provided.

Additional information: Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB

CREATIVE UNIT: RECTANGLE

Dimensions (W x H in pixels): 300 x 250 or 300 x 600

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, Double-Click Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS). Double Density: This ad unit qualifies for double density high resolution material. The creative material may be supplied in both a single density 300 x 250 or 300 x 600 and higher resolution double density 600 x 500 or 600 x 1200 version of the same creative. Double density version cannot run unless single density is also provided.

Additional information: Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB

CREATIVE UNIT: WELCOME AD / INTROSTITIAL

Information: Displays an ad to the user on their first visit and for a specified length of time "Sponsored Introduction" is displayed with a countdown. A "continue" link is included to ensure optimal user experience.

Ad specifications:

- Size: 640 x 480 (desktop/tablet); 300 x 250 (mobile)
- Acceptable formats: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).
- Close button not required
- Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.
- Max size: 200 KB

^{*} Brand-specific specifications may apply. Please contact your Sales Representative for detailed specifications and delivery instructions.



AviationWeek.com

CREATIVE UNIT: BILLBOARD (Expandable functionality is not accepted in this ad unit.)

Information: Highly visible banner. Desktop only. The unit remains open.

Ad specifications:

• Size: Top leaderboard 970 x 250

• Acceptable formats: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative or DCM tag. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS). Ad could include in-banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

• Max size: 200 KB

CREATIVE UNIT: EXPANDABLE UNIT

Information: Most Informa sites offer expandable ad units. This format is available in all in-page units. The advertisement expands either in width or height (not both) when the user mouse over or clicks on the ad. This unit must be provided as a third party ad tag.

Specs and acceptable format: Rich Media: 3rd party tags, or HTML5: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Max Initial File Load Size: 200 KB; 100 KB host-initiated subload

Max # of panels: 4

Panel activation/closing: On mouse over or click with clear and obvious "close" text.

Max panel expansion dimensions: In general, the expansion should not exceed twice the original width or height. Expand direction: Top leaderboards should expand down only; left rail units should expand to the right; and right rail units should only expand to the left.

Audio/Video acceptance: User initiated only; controls should include "Close X", "Play", "Pause", "Rewind" **Volume Maximum video weight:** 1.2 MB streaming video max.

CREATIVE UNIT: SITE SKIN (WALLPAPER)

Information: The skin allows an advertiser to brand both sides of a the website.

Specs and acceptable format: Important! Please view the photoshop template for reference. Do not include any important text copy/call to action/logos in the top 72 px of the creative. Background artwork is allowed in this area. Two creative files should be delivered: 1346 x 925, 1920 x 1080. For the size 1346 x 925 - White gutter space in the center should be 1160 pixels wide. Live creative area on left and right should be 93 pixels wide. For the size 1920 x 1080: White gutter space in the center should be 1160 pixels wide. Live creative area on left and right should be 380 pixels wide. Important! Creative Graphics and Copy: Please open Photoshop files to view the safe area for Graphics, Text Copy and Logos. 1920 x 1080: Keep all important text copy/call to action/logos is the safe area of 155 x 400 px on the left and right creative panels. 1346 x 925: Keep all important text copy/call to action/logos is the safe area of 93 x 400 px on the left and right creative panels. All 3rd Party 1 x 1 tracking tags must be SSL Compliant (HTTPS).

Lead time: 10 business days **Maximum file size:** 200 KB

Creative Dimensions (W x H in pixels): Two creative sizes should be delivered: 1346 x 925, 1920 x 1080 White Gutter Space: Website Content Area (center) – Fixed width should be 1160 pixels, color must be white

Accepted formats: JPEG. Only one click-through URL accepted

Download the Site Skin template: https://das.informamarkets.com/ad-specs/aviation/skin.php



AviationWeek.com

CREATIVE UNIT: SITE OR HOMEPAGE TAKEOVER

Information: The site or homepage takeover provides the advertiser the ultimate exposure. Every ad unit will belong to the advertiser.

Specs and acceptable format:

- Size: Creative will be needed for all units within the page/site.
- Lead time: 5 days w/o site skin; 10 with skin
- Formats: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).
- Max Initial File Load Size: 200 KB; 100KB host-initiated subload

CREATIVE UNIT: IN-BANNER VIDEO

Information: VAST compliant.
Specs and acceptable format:

- Format: Third-party tag (any file format may be hosted on your end, but we will need to be provided a Javascipt tag)
- Size: Initial Javscript host-initiated subload of 140 KB; third-party hosted file load of 4 MB or less (preferably less to conserve on load time so the video is not overlooked by users)
- Video: Can begin playing at load, but audio must be off. User controls (pause, stop, play) must be visible on mouse-over. If the video does not start automatically, the audio can begin with the user-click of the Play button.
- Audio: Off at start and user-initiated by a clickable mute button.
- Length: Preferably 15-30 seconds

CREATIVE UNIT: PUSHDOWN

Creative Dimensions (W x H in pixels): Rich Media ad with Teaser Image: 970 x 90 and Expanded Ad Unit: 970 x 415 **Formats:** 3rd party tags or HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Max Initial File Load Size: 200 KB; 300 KB host-initiated subload

Additional information:

- Borders: Creatives without border must have high contrast background color that doesn't mimic the background color of the website.
- Animation on initial load should not last more than 15 seconds. Unlimited for user initiated animation.
- Audio/Video must have visible functioning controls (play/pause, mute, stop). Audio muted on initial load.
 - 1.1 MB additional file size allowed for host-initiated video. Unlimited file size for user-initiated video.

Additional charges may be applied if production is required.



AviationWeek.com

CREATIVE UNIT: FLOOR*

Information: Full rich media interactivity. Fixed, adhesion that sits at the bottom of the browser, remaining in the user's view, even as they scroll the page. Begins collapsed, on click the ad spawns a larger canvas that can support social, video and custom content integrations.

Ad specifications:

- Initial Dimension: 1160 x 90 pixels Expanded dimension: Up to 1160 x 410
- Client Supplies: all creative assets, including designed layouts and instructions for interactive components. *Informa* will execute HTML5 for all Floor ad units.
- Action: Persistent unit that sits at the bottom of the screen. Expands up from center at user initiated click. Closes via obvious "close" text or "X". "Close" text or "X" should be on both 1160 x 90 and 1160 x 410 creative files.
- Max Initial File Load Size: 200 KB; 300 KB host-initiated subload
- Borders: Creatives without border must have high contrast background color that doesn't mimic the background color of the website.
- Supported assets for production: Videos / HTML5 source files / JPEG or PSD / Social Feeds
- Audio/Video must have visible functioning controls (play/pause, mute, stop). Audio muted on initial load.

 1.1 MB additional file size allowed for host-initiated video. Unlimited file size for user-initiated video.
- Animation Length: 15-20 seconds

*Informa will produce this ad, no third-party tags supported for expandable Floor units.

*3rd party tags are acceptable for non-expanding Floor units at 1160 x 90.

CREATIVE UNIT: NATIVE ADVERTISING

Sponsored Content: Client may distribute articles, videos, infographics or videos inside Aviationweek.com or appropriate Aviation website. Information will be tagged 'sponsored', reviewed for appropriateness by our editors but not edited. Placement will be in the following locations:

- Three times promotion in appropriate market newsletter
- Placement for one year in the appropriate online channel
- Content will be indexed and SEO'd, 30% of traffic comes from search

CREATIVE UNIT: IN-ARTICLE VIDEO*

Information: Optimal user experience and viewability through in-article placement. Auto plays when more than 50% in view on user's screen. Audio starts on mouse rollover. Video disappears from body of article once played to completion, making it less intrusive to the user's experience. Premium environment for short 15-30 second videos.

Ad specifications:

File Type: .mp4Max file size: 4 MB

• Ratio: 16:9

- **Dimension:** 960 x 540 (Responsive to the page level)
- Tags Accepted: 1x1, VAST, VPAID JS (HTML); all tags must be SSL only
- Video Duration: 15/30 seconds FPS: 24



^{*} Brand-specific specifications may apply. Please contact your Informa Sales Representative for detailed specifications and delivery instructions.

AviationWeek.com

AUDIENCE EXTENSION

Information: With Audience Extension, Informa users are located on the "open" web (outside Informa) through display banners. To create these banners, you will need at least two images in the dimensions specified below and a destination URL. Before you launch your Audience Extension campaign, be sure to read through the information below and contact us with any questions.

Accepted file formats: JPG, GIF, or HTML5

File size: 200 KB max initial file load (refer to IAB specs)

Most popular ad sizes: We recommend that campaigns are launched with, at minimum, the four ad sizes listed below:

Medium rectangle: 300 x 250
Leaderboard: 728 x 90
Wide skyscraper: 160 x 600

• Large Rectangle: 300 x 600

• Mobile leaderboard: 320 x 50, 300 x 50*

• **Banner:** 468 x 60

• Rectangles: 336 x 280, 180 x 150

• **Skyscraper:** 120 x 600

• Billboards: 970 x 90, 970 x 250

Note: Additional mobile sizes as well as IAB Rising Star units may be available. Please inquire if interested.

Additional Requirements:

Animation: Animated ads are restricted to a maximum of 15 seconds (at a 15-20 fps frame rate), after which point automated animations must come to a complete stop. You are permitted to give the viewer the option to restart animation. **Border:** Any ads featuring a white or black background are required to have a 1 px border of a distinguishing color around the perimeter of the ad in order to separate it from page content.

Expansion: Due to the variability of the ad serving environment, expandable ads are NOT supported at this time. **Destination URL:**

- Web banners are not permitted to use redirecting URLs. Track campaign analytics with UTM tracking codes instead.
- Banners cannot link directly to third-party vendors, unless linking to a ticket distributor for an event.
- Banners cannot link directly into a payment processor (e.g., PayPal). Visitors must be able to review terms of the offer prior to entering purchasing/sign-up flows.

Branding: To prevent fraud, ad content and branding must include or carry the logo that matches the page where the user is being directed upon click. Ads that do not adhere to this spec will be rejected when the campaign is loaded. **3rd Party Tags:** All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Additional Information:

- Informa Tracking Policy: Informa Media does not allow the inclusion of advertiser tracking pixels.
- Informa Systems: Informa utilizes Google Ad Manager (GAM) for most ad serving.



AviationWeek.com

WEBSITE

HTML5

Informa continues to support HTML5 advertising on Informa sites. Ads created in HTML5 offer the benefit of working across devices and platforms.

Advertisers are asked to submit their advertising tags or code via Informa's ad portal: https://informa.sendmyad.com

- File Size for HTML5 creative is increased to 200 KB for Max Initial File Load
- HTML5 ads can be submitted as:
 - 1. 3rd party tag
 - 2. DoubleClick Studio creatives directly pushed to our DFP network from DC Studio
 - 3. DoubleClick Campaign Manager tag (DCM InRed)
 - 4. Compressed (ZIPPED) file with all assets included in the zip file
- Advertiser or Creative agency will be asked to provide information on click macro implementation. Also, advertiser
 or agency must host all files referenced in HTML5 ad.
- Static backup image file required (JPG, GIF, PNG). Any browsers incapable of displaying HTML5 will show the backup image.
- All HTML5 code must adhere to the ad guidelines and specifications for its respective ad unit.
- HTML5 code must be submitted in accordance to the ad unit's submission lead time for proper testing and any necessary revisions.
- All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).
- Informa's ad server is Google Ad Manager (GAM) (Premium).

As broad adoption is still limited, HTML5-specific ad specifications have not been finalized by the IAB. As such, Informa HTML5 specs may be updated in the future.

Animated GIF Files

Max File Size: 200 KB Looping: 3 times (GIF) Frames: 4 (GIF)

Animation length: 15-20 seconds Max FPS (frames per second): 18

MOBILE

PLATFORM: TABLET AND SMARTPHONE

Creative Dimensions (W x H in pixels): 728×90 , 300×250 , 320×50

Specs and acceptable format: 3rd party tags or HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Maximum file size: 200K

AD SUBMISSIONS: For all ad submissions please upload files to https://informa.sendmyad.com

To pick up an existing ad and for all insertion orders, contact Digital Advertising Solutions Group:

Attention: Robert Steigleider • Tel: +1 212-600-3071 • robert.steigleider@informa.com



DIGITAL EDITIONS



CREATIVE UNIT: AUDIO/VIDEO: GTXCEL HOSTED VIDEO

This hosting option is recommended for reliability and visibility across platforms.

Location: Select page, page position

Size & Length: 100 MB maximum. Up to 4 minutes for optimal performance (recommended). **File Formats:** h264 format. GTxcel can convert to h264, .MPEG4, .MOV, .FLV, .WMV, .AVI

Design: Video should include at least one extra second of play

PDF/Page Setup: If video is embedded or accessed via hotspot, add placeholder or icon to PDF. Placeholder should

be slightly smaller than media element (height/width) and the same aspect ratio.

Features: Click to open from hotspot or autoplay

Other: Not available for viewing offline or from mobile web reader **Good Use:** Demonstration, product walk-through, sizzle reel

CREATIVE UNIT: AUDIO/VIDEO: EXTERNALLY HOSTED VIDEO

Location: Select page, page position

Size & Length: No restrictions

File Formats: h264 format. Provide URL to video.

Design: Video should include at least one extra second of play Initial image defaults to first frame of video

or upload 480w x 270h JPG

PDF/Page Setup: If video is embedded or accessed via hotspot, add placeholder or icon to PDF. Placeholder should

be slightly smaller than media element (height/width) and the same aspect ratio.

Features: Autoplay or click/tap to play

Other: Not available for viewing offline or from mobile web reader Good Use: Demonstration, product walk-through, sizzle reel

CREATIVE UNIT: INTERACTIVE MODULES: SLIDESHOW

The slideshow module lets readers play or swipe through images and their accompanying captions.

Location: Select page, page position

Creative Dimensions (W x H in pixels) Images:

No smaller than:

Portrait: 576w x 768h pixels
Landscape: 768w x 576h pixels
File Formats: JPG, GIF, PNG, TIF, BMP

Design: Minimum of 2 images, suggested maximum of 50 images.

Images: Images should be RGB (not CMYK)

Caption Text: Caption text (if separate from image) appears in translucent field at bottom of module.

Features: Autoplay or click/tap to play

Other: Turn full-screen mode off? (Default: no). If caption text is separate, provide captions in list with corresponding

image names. Suggested maximum of 450 characters per caption including spaces.

Good Use: Photo gallery, showcasing "best of"



DIGITAL EDITIONS



CREATIVE UNIT: INTERACTIVE MODULES: 360° ANIMATION

The 360° animation module allows users to turn an object around to see all sides or pan around a space.

Location: Select page, page position

Creative Dimensions (W x H in pixels) Images: Images set at fixed size of 225w x 300h pixels, 4:3 aspect ratio

File Formats: PNG, JPG, GIF

Design: Minimum of 2 images, suggested maximum of 50 images.

Images: Images should be RGB (not CMYK)
Features: Autoplay or click/tap to play
Platforms: Digital edition, Mobile app
Features: Autoplay or click/tap to play
Good Use: Virtual tour, panorama

CREATIVE UNIT: SPONSORSHIP OF MODULES

Slideshows and 360° animation modules can have an advertisement (banner ad) and/or sponsorship image (logo). Note that the sponsorship logo is only available when a banner ad is used.

Banner:

• Location: Sits at bottom of module

• Creative Dimensions (W x H in pixels): 302 x 38 pixels

• File Formats: PNG, JPG, GIF

• Features: Link to URL

Logo:

• Location: Sits at top-right of module

• Creative Dimensions (W x H in pixels): 73 x 39 pixels

• File Formats: PNG, JPG, GIF

• Features: Link to URL

• Other: The logo is preceded by the words "Powered by." The logo is only available if banner is present.

Additional Information:

- Informa can provide digital ad production assistance, if needed. Additional costs may be associated.
- Landing pages from mobile advertising should be mobile web optimized
- When developing an ad creative for a mobile handheld device it is important to think about where the ad unit will be delivered and optimize all assets and coding to produce the smallest total ad unit size possible to ensure a positive user experience.

Proof of delivery reports to clients are generated and distributed by Digital Advertising Solutions Group associates using metrics from Informa ad servers and email systems. Reports are for the invoiced period and provided the first week following the month of delivery.

AD SUBMISSIONS: For all ad submissions please upload files to https://informa.sendmyad.com

To pick up an existing ad and for all insertion orders, contact Digital Advertising Solutions Group:

Attention: Fran Vaughn • Tel: +1 913-967-7293 • fran.vaughn@informa.com



DIGITAL EXPERIENCE - SHOW DAILIES

Aviation Week Network Show News App

Mobile Leaderboard



Mobile Rectangle



Mobile Adhesion Banner



GIF GUIDELINES:

Max File Size: 200 KB Looping: 3 times (GIF) Frames: 4 (GIF)

Animation Length: 15-20 seconds

CREATIVE UNIT: MOBILE LEADERBOARD

Dimensions (W x H in pixels): 320×50 (single density) + 640×100 (double density - optional) **Double Density:** This ad unit qualifies for double density high resolution material. The creative material may be supplied in both a single density 320×50 and higher resolution double density 640×100 version of the same creative. Double density version cannot run unless single density is also provided.

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Additional information: Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB

CREATIVE UNIT: MOBILE RECTANGLE

Dimensions (W x H in pixels): 300×250 (single density) + 600×500 (double density - optional) Double Density: This ad unit qualifies for double density high resolution material. The creative material may be supplied in both a single density 300×250 and higher resolution double density 600×500 version of the same creative. Double density version cannot run unless single density is also provided.

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Additional information: Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB

CREATIVE UNIT: MOBILE ADHESION BANNER

Dimensions (W x H in pixels): 320 x 50 (single density) + 640 x 100 (double density - optional) **Double Density:** This ad unit qualifies for double density high resolution material. The creative material may be supplied in both a single density 320 x 50 and higher resolution double density 640 x 100 version of the same creative. Double density version cannot run unless single density is also provided.

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5. All 3rd Party tags and accompanying technologies being served by tags must be SSL Compliant (HTTPS).

Additional information: Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB



WEBSITE



ACUKWIK.com

IMPORTANT: Please send all artwork one week prior to the go-live date.

SPECIFICATIONS FOR AD SIZES:

Ad Unit	Dimensions
Ad Type	
Anchor Ad	970 x 90 pixels
Leaderboard	728 x 90 pixels
iPhone/Mobile Leaderboard	320 x 50 pixels
Impact Ad	300 x 250 pixels
Billboard	180 x 150 pixels
Site Skin	120 x 600 pixels
Logo	Send high-resolution .eps file
Expanded Info Page Logo	Send high-resolution .eps file
Expanded Info Page Photos	Send high-resolution .jpg file

FILE SUBMISSIONS:

Files should be sent as a JPG, GIF or HTML5 and cannot exceed 125 KB. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts. **Send files to ads@acukwik.com.**

FOR QUESTIONS OR MORE INFORMATION, CONTACT: ads@acukwik.com



WEBSITE



AirCharterGuide.com

IMPORTANT: All online ads are posted on the 1st and 15th of each month. Please send all artwork at least 5 days in advance of these posting dates.

SPECIFICATIONS FOR AD SIZES:

Ad Unit	Dimensions
Ad Type	
Leaderboard	728 x 90 pixels
Mobile (part of Leaderboard purchase)	320 x 50 pixels (Include with leaderboard creative)
Impact ad	300 x 250 pixels
Listing Enhancement	
Small logo	Send high-resolution .eps file
Large logo	Send high-resolution .eps file
Aircraft photo	Send high-resolution .jpg file
Video	Send link to YouTube video

FILE SUBMISSIONS:

Files should be sent as .jpg, .png, .gif or HTML5 and cannot exceed 200 KB. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts. **Send files to ads@aircharterguide.com**

FOR QUESTIONS OR MORE INFORMATION, CONTACT: ads@aircharterguide.com



WEBSITE

Aircraft**Bluebook**⁷

AircraftBluebook.com

IMPORTANT: Please send all artwork one week prior to the go-live date.

SPECIFICATIONS FOR AD SIZES:

Ad Unit	Dimensions
Ad Type	
Upper Leaderboard	970 x 90 pixels
Lower Leaderboard	970 x 90 pixels
Tower ad	160 x 600 pixels
Impact ad	300 x 250 pixels

NOTE: Advertiser Qualification: Due to the nature of the data Aircraft Bluebook provides, we reserve the right to accept or deny any advertisement due to a conflict of interest.

FILE SUBMISSIONS:

Files should be sent as .jpg, .png, .gif or HTML5 and cannot exceed 200 KB. All artwork provided must use open-source fonts to avoid Informa from incurring usage fees for displayed content in print and digitally. If files are sent with a licensed font, we will request new files with open source fonts.

Send files to joshua.bourland@informa.com

FOR QUESTIONS OR MORE INFORMATION, CONTACT:

Joshua Bourland • Tel: +1 212-600-3674 • joshua.bourland@informa.com



PRINT / WEBSITE / MOBILE



PREMIUM PACKAGE

Company Information:

- 1. Company name* (limit to 200 characters)
- 2. Logo (Minimum of 300 pixels wide in a 3:2 aspect ratio as a .JPG file)
- 3. Company description (limit to 2000 characters including spaces in the character count)
- 4. Company Address
- 5. Email* (to receive leads)
- 6. URL (website of your company)
- 7. Primary Company Category*
- 8. Product/Service Sub-Categories (Premium: limit to one; Premium Plus: unlimited)

Product Information:

- 1. Headline (3-4 words to describe your product description)
- 2. Product Description (limit to 300 characters for Premium Package, 2000 characters for Premium Plus Package, including spaces in the character count)
- 3. Primary Product Category*
- 4. Product/Service Sub-Categories (Premium: limit to one; Premium Plus: unlimited)
- 5. Product Picture:
 - a. Specs and acceptable format: GIF, PNG, JPEG, BMP, 650 x 400 recommended minimum image size
 - b. Max Size: 10 MB

1/6 Spotlight Ad in Inside MRO or Aviation Week & Space Technology:

- 1. Company Name
- 2. Headline (limit to 50 characters including spaces)
- 3. Company Website
- 4. Product Category* (select one)
- 5. Company Description (limit to 300 characters including spaces)
- 6. Image and Logo (hi-resolution)

Banner Ad Creative:

300 x 250 standard (left position)

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5 creative in a single-code snippet. Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB
* Required Information

FOR PREMIUM MATERIAL SUBMISSIONS OR QUESTIONS, PLEASE CONTACT:

Jenette McGinn • +1 561 279-4646 • jenette@aviationexhibits.com

Rinni DeVenero • +1 561 279-4646 • rinnid@aviationexhibits.com



PRINT / WEBSITE / MOBILE



PREMIUM PACKAGE PLUS

INCLUDES ALL BENEFITS OF THE PREMIUM PACKAGE, PLUS:

Company Information:

1. Product/Service Sub-Categories

Banner Ad Creative:

- 1. 728 x 90 leaderboard (top and bottom)
- 2. 320 x 50 (for mobile)
- 3. 350 x 250

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5 creative in a single-code snippet. Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB

Product Uploads: (Premium Plus Package can add unlimited files.)

- 1. Images
- 2. Product Brochures
- 3. Line Cards
- 4. Press Releases
- 5. Videos
 - a. Images specs and acceptable formats: GIF, PNG, JPEG, BMP, 650x400 recommended minimum image size.
 Max Size: 10 MB
 - **b. Videos specs and acceptable formats:** Need to be hosted on Vimeo, and supply MROLinks with a Vimeo URL. YouTube videos are also acceptable.
 - **c.** Other documents (i.e. brochures, catalogs, etc.) specs and acceptable formats: Supported file type/size: doc, docx, pdf. Maximum supported size 256MB.

ADDITIONAL OPPORTUNITIES AVAILABLE:

(CUSTOM OPPORTUNITIES NOT INCLUDED IN ABOVE PACKAGES.)

Banner Ad Creative:

- 1. 300 x 600 flex (Right rail of site only. Will not appear on tablets and smartphones.)
- 2. 728 x 90 leaderboard (included in Premium Plus Package)
- 3. 320 x 50 mobile (included in Premium Plus Package)
- 4. 300 x 416 mobile welcome ad
- 5. 640 x 480 welcome ad

Specs and acceptable format: GIF, PNG, JPEG, HTML, Rich Media, 3rd party tag. HTML5 as: 3rd party tag, DoubleClick Studio creative, DCM tag or self-contained HTML5 creative in a single-code snippet. Ad could include in banner video or social media in rich media versions. Audio off at start and user controls required for "Close X", Play, Pause, Rewind, and Volume.

Max Size: 200 KB
* Required Information

FOR PREMIUM PLUS MATERIAL SUBMISSIONS OR QUESTIONS, PLEASE CONTACT:

Darin Watson, Manager Content Production • +1 913 295-2524 • darin.watson@informa.com



General Terms & Conditions

- a. All contents of advertisements are subject to the Publisher's approval. The Publisher reserves the right to reject or cancel any advertisement, insertion order, space reservation, or position commitment (collectively, an "advertisement") at any time, if for any reason the Publisher deems it to be unacceptable. As used in these General Terms and Conditions, the term "advertiser" includes any advertiser's advertising agency, if there is one.
- b. All advertisements must be clearly identifiable as such with a trademark or signature of the advertiser. If in Publisher's judgment any advertisement creates the illusion of editorial matter, Publisher reserves the right to decline such advertisement and/or to place the word "Advertisement" in it.
- c. It is the advertiser's responsibility to ensure that all inserts and other advertising comply with U.S. postal regulations and other applicable Federal and State laws and regulations.
- d. Positioning of advertisements is at the Publisher's discretion, except when the advertiser requests a guaranteed advertisement placement, to which premium charges may apply.
- e. The advertiser and its agency, if there is one, each acknowledge that it is fully authorized and/or licensed to publish and assumes all liability for the entire contents of its advertisements, including without limitation: text; testimonials; representations; illustrations; maps; labels; trademark and other copyrighted or proprietary matter; and the use of the name or likeness of persons, living or dead. The agency and the advertiser, jointly and severally, will indemnify and save harmless the Publisher against all loss, liability, damage and expenses of any nature (including reasonable attorney's fees) resulting from any actions, claims or suits ("claims") resulting from advertising purchased pursuant to this rate card, including, without limitation, claims for libel, violation of rights of privacy or publicity, infliction of emotional distress, unfair competition, or copyright, trademark or other proprietary rights infringement.
- f. Advertisements not received by Publisher's production department by the production materials closing date will not be entitled to the privilege of O.K. or revision by the advertiser.
- g. Cancellations or changes in orders may not be made by the advertiser after the closing date. Contracts may be cancelled by the advertiser or Publisher on written notice not less than (i) 30 days in advance of the closing date or (ii) for covers, 90 days in advance of the closing date.
- h. All insertion orders are accepted subject to the provisions of the current rate card. Conditions, including rates, are subject to change upon notice from the Publisher. Should a rate change be made, the advertiser may cancel space reserved at the time the change becomes effective without incurring short-rate charges, provided the contract rate has been earned up to the date of cancellation. Cancellation of space reservations for any other reason (in whole or part) by the advertiser will result in an adjustment of the rate (short-rate) based on the number and type of insertions placed to the cancellation date, to reflect actual space used at the earned frequency or volume rate, as of cancellation.
- i. Advertisers will be short rated, if within a 12-month (52-week) period from the date of the first insertion, they do not use the amount of space upon which their billings have been based. Advertisers will be rebated if, within a 12-month (52-week) period from the date of the first insertion, they have used sufficient space to earn a lower rate than that at which they have been billed.
- j. The Publisher will not be liable under any circumstance for any costs or damages (including consequential damages) resulting from either the failure to print any advertisement or the appearance of any errors in any advertisement as published. In such case, the advertiser's sole remedy will be the right to place a "make-good" advertisement.
- k. Failure to make any insertion order correspond in price or otherwise with the rate schedule shall be deemed a clerical error only; publication thereof shall be made and charged without further notice according to the terms of the rate schedule in force at the time.
- I. The Publisher or its sales agency shall have the right to hold the advertiser and/or its agency jointly and severally liable for such monies as are due and payable to the Publisher for published advertising.
- m. No conditions other than those set forth in this rate card shall be binding on the Publisher unless the Publisher specifically so agrees in writing, in advance. Specifically, the Publisher will not be bound by conditions or terms printed or appearing on order blanks or copy instructions submitted by or on behalf of the advertiser.
- n. The Publisher will not be liable for any delays affecting the timing or cancellation of any advertisement scheduled to be published in the event of an act of God, action by any governmental or quasi-governmental entity, fire flood, accidents, insurrection, act of terrorism or war, embargo, strikes (whether legal or illegal), labor or materials shortages, transportation interruption of any kind, work slowdown, or any other condition beyond the control of the Publisher affecting production or delivery in any manner.
- o. As used in this section entitled "General Terms and Conditions" the term "Publisher" shall refer to Aviation Week Network.



Contact Us:

PRINT AD QUESTIONS AND SUBMISSIONS

For all ad submissions please upload files to SendMyAd - https://informa.sendmyad.com/

All space contracts, insertion orders, advertising proofs, copy, and correspondence pertaining to advertising, printing and reproduction material should be sent to:

For AW&ST and Inside MRO:
Attention: Bonnie Streit. Production

Tel: +1 630-524-4456 Yvonne.Streit@Informa.com

For BCA and ShowNews:

Attention: Gabriel Balmes, Business Operations

Tel: 1 470-277-0586

Gabriel.balmes@aviationweek.com

For Routes, ATW and Market Briefings: Attention: Jacqi Fisher. Production

Tel: +1 212-600-3853
Jacqi.Fisher@informa.com

For SpeedNews:

Attention: Steve Costley
Tel: +1 310-857-7689
scostlev@speednews.com

AC-U-KWIK, Air Charter Guide:

For all ad submissions please upload files to SendMyAd - https://informa.sendmyad.com/

All space contracts, insertion orders, advertising proofs, copy, and correspondence pertaining to advertising, printing and reproduction material should be sent to:

Attention: Julie Jantzer-Ward, Media Services Director

ads@acukwik.com

ads@aircharterguide.com

Aircraft Bluebook:

For all ad submissions please email files to darin.watson@informa.com

All space contracts, insertion orders, advertising proofs, copy, and correspondence pertaining to advertising, printing and reproduction material should be sent to:

Attention: Joshua Bourland, Sr Content Design Specialist joshua.bourland@informa.com

DIGITAL AD QUESTIONS AND SUBMISSIONS

Digital Newsletters, AviationWeek.com:

For all ad submissions please upload files to SendMyAd - https://informa.sendmyad.com/

All space contracts, insertion orders, and correspondence pertaining to digital advertising materials should be sent to:

Attention: Robert Steigleider, Production

Tel: +1 212-600-3071

Robert.Steigleider@informa.com

ACUKWIK.com, AirCharterGuide.com, AircraftBluebook.com:

For all ad submissions please send files for ACUKWIK.com to ads@acukwik.com; AirCharterGuide.com to ads@aircharterguide.com; AircraftBluebook.com to julie.jantzer-ward@informa.com

All space contracts, insertion orders, and correspondence pertaining to digital advertising materials should be sent to:

Attention: Julie Jantzer-Ward, Media Services Director ads@acukwik.com and ads@aircharterguide.com and for Aircraft Bluebook julie.jantzer-ward@informa.com

